# R-8.75 & R-12.9 Insulated Steel Doors by MÉTALEC

# **Health Product Declaration v2.2**

created via: HPDC Online Builder

**HPD UNIQUE IDENTIFIER: 26134** 

CLASSIFICATION: 08 11 00 Metal Doors and Frames

PRODUCT DESCRIPTION: This HPD covers R-8.75 and R-12.9 insulated steel doors manufactured by Métalec. R-8.75 and R-12.9 insulated steel doors are made of 18 gauge steel. Product dimensions are 36" x 84" x 1¾". Métalec steel doors are compliant to ASTM A 653/A 653M, ASTM A 240/A 240M, CAN/ULC - S104 - M80, UBC 7-2(1994), UL 10(b), NFPA 252, NFPA 80, CSDMA, NAAMM, HMMA, ASTM E 152.

# Section 1: Summary

## **Nested Method / Product Threshold**

#### CONTENT INVENTORY

**Inventory Reporting Format** Nested Materials Method

Basic Method

Threshold Disclosed Per

Material

Product

Threshold level

C 100 ppm

⊙ 1,000 ppm C Per GHS SDS

Other

Residuals/Impurities

Residuals/Impurities Considered in 5 of 6 Materials

Explanation(s) provided for Residuals/Impurities?

Yes ○ No

All Substances Above the Threshold Indicated Are: ○ Yes Ex/SC Yes No Characterized

% weight and role provided for all substances.

Screened ○ Yes Ex/SC ⊙ Yes ○ No

All substances screened using Priority Hazard Lists with results disclosed.

Identified ○ Yes Ex/SC ○ Yes ○ No

One or more substances not disclosed by Name (Specific or Generic) and Identifier and/ or one or more Special Condition did not follow guidance.

#### **CONTENT IN DESCENDING ORDER OF QUANTITY**

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY

**GREENSCREEN SCORE | HAZARD TYPE** 

GALVANNEALED STEEL (DOOR SKIN) [ IRON (IRON) LT-P1 | END CHROMIUM (CHROMIUM) LT-P1 | END | SKI | RES NICKEL (NICKEL) LT-1 | CAN | RES | MUL | SKI | MAM MANGANESE (MANGANESE) LT-P1 | END | MUL | REP ZINC (ZINC) LT-P1 | END | MUL | AQU | PHY ] GALVANNEALED STEEL (REINFORCEMENTS) [ IRON (IRON) LT-P1 | END NICKEL (NICKEL) LT-1 | CAN | RES | MUL | SKI | MAM CHROMIUM (CHROMIUM) LT-P1 | END | SKI | RES MANGANESE (MANGANESE) LT-P1 | END | MUL | REP ZINC (ZINC) LT-P1 | END | MUL | AQU | PHY ] ADHESIVE [ UNDISCLOSED LT-UNK UNDISCLOSED LT-UNK | MUL | RES | CAN | SKI | EYE ] PAINT [ BUTOXYPROPANOL (BUTOXYPROPANOL) LT-UNK | SKI | EYE TITANIUM DIOXIDE (TITANIUM DIOXIDE) LT-1 | CAN | END ] POLYURETHANE-BASED INSULATING PANEL [ 4,4'-DIPHENYLMETHANE DIISOCYANATE LT-UNK | MUL | RES | CAN | SKI | EYE 1,2-PROPYLENEGLYCOL, ETHOXYLATED AND PROPOXYLATED LT-UNK CELLULOSE, MICROCRYSTALLINE LT-UNK | RES TRI-(2-CHLOROISOPROPYL)PHOSPHATE BM-U | END | MUL | PBT CONTINUOUS FILAMENT GLASS FIBER, NON-RESPIRABLE LT-UNK ISOPENTANE LT-P1 | MUL | MAM | AQU | PHY CYCLOPENTANE LT-UNK | PHY | POLYSTYRENE INSULATION | POLYSTYRENE (POLYSTYRENE) LT-UNK PENTANE (PENTANE) LT-P1 | MUL | PHY | MAM | AQU ISOPENTANE (ISOPENTANE) LT-P1 | MUL | MAM | AQU | PHY]

Number of Greenscreen BM-4/BM3 contents ... 0

Contents highest concern GreenScreen Benchmark or List translator Score ... LT-1

Nanomaterial ... No

#### INVENTORY AND SCREENING NOTES:

Ranges come from the two models of insulated steel doors R-8.75 and R-12.9 which have different amounts of insulation. Special Conditions materials are present in the product: metal alloy material, reaction products and polymeric materials. Guidelines for reporting Metals (SCMetalAlloy/2020-08-06) were followed even though they are not yet in effect. The full metal alloy composition were reported. Other Special Conditions materials are still under development by HPDC and the manufacturer will update the HPD accordingly once these guidelines get published. One or more substances are not disclosed by name or identifier as they are proprietary.

## **VOLATILE ORGANIC COMPOUND (VOC) CONTENT**

VOC Content data is not applicable for this product category.

**CERTIFICATIONS AND COMPLIANCE** See Section 3 for additional listinas.

VOC emissions: CDPH Standard Method V1.2 (Section 01350/CHPS) -Not tested

## **CONSISTENCY WITH OTHER PROGRAMS**

Pre-checked for LEED v4 Material Ingredients Option 1

Third Party Verified?

PREPARER: Vertima

SCREENING DATE: 2021-09-23

C Yes No

VERIFIER:

PUBLISHED DATE: 2021-09-23

**VERIFICATION #:** 

EXPIRY DATE: 2024-09-23

# Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.2, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-2-standard

## **GALVANNEALED STEEL (DOOR SKIN)**

%: 92.0300 - 95.2000

PRODUCT THRESHOLD: 1000 ppm

DOM (IDOM)

RESIDUALS AND IMPURITIES CONSIDERED: Yes

MATERIAL TYPE: Metal

RESIDUALS AND IMPURITIES NOTES: According to the manufacturer, Lead and Cadmium are present in trace amount, generally inferior to 1 ppm in steel products. These impurities are coming from the sourced iron ore. Passivation surface treatment with a chromic acid solution leaves a total chromium residual of 11 to 27 mg/m² per side.

OTHER MATERIAL NOTES: 18 Ga galvannealed carbon steel sheets with a passivation surface treatment.

IRON (IRON)	ID:	7439-89-6
HAZARD SCREENING METHOD: Pharos Chemical and Mater	erials Library HAZARD SCREENING DATE: 2021-09-23 12:35:33	

%: 88.3000 - 100.0000 GS: LT-P1 RC: Both NANO: No SUBSTANCE ROLE: Structure component

HAZARD TYPE AGENCY AND LIST TITLES WARNINGS

END TEDX - Potential Endocrine Disruptors Potential Endocrine Disruptor

SUBSTANCE NOTES: Iron is the main element for carbon steel. It is also present in the Galvanneal coating at 11% or between 0.14 to 1.2 wt.% in the final galvannealed sheet. Steel may contain 22% pre consumer recycled content and 34% post consumer recycled content. Percent weight interval is used to cover product variability.

CHROMIUM (CHROMIUM) ID: 7440-47-3

HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD S	CREENING DATE	: 2021-09-23 12:35:43
%: 0.0000 - 0.6500	GS: <b>LT-P1</b>	RC: None	NANO: No	SUBSTANCE ROLE: Alloy element
HAZARD TYPE	AGENCY AND LIST TITLES	W	ARNINGS	
END	TEDX - Potential Endocrine Disruptors	Po	tential Endocrine	Disruptor
SKI	MAK	Se	ensitizing Substan	ce Sh - Danger of skin sensitization
RES	AOEC - Asthmagens	As	thmagen (Rs) - se	nsitizer-induced

SUBSTANCE NOTES: Chromium is an alloying element in carbon steel as well as a residual coming from the passivation surface treatment of galvanneal steel sheets. See all material notes for further details. Percent weight interval is used to cover product variability.

## NICKEL (NICKEL) ID: 7440-02-0

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2021-09-23 12:35:43

%: 0.0000 - 0.2500 GS: LT-1 RC: None NANO: No SUBSTANCE ROLE: Alloy element

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
CAN	US CDC - Occupational Carcinogens	Occupational Carcinogen
CAN	MAK	Carcinogen Group 1 - Substances that cause cancer in man
CAN	IARC	Group 1 - Agent is Carcinogenic to humans
CAN	CA EPA - Prop 65	Carcinogen
CAN	US NIH - Report on Carcinogens	Known to be a human Carcinogen
CAN	IARC	Group 2b - Possibly carcinogenic to humans
RES	AOEC - Asthmagens	Asthmagen (Rs) - sensitizer-induced
CAN	US NIH - Report on Carcinogens	Reasonably Anticipated to be Human Carcinogen
RES	MAK	Sensitizing Substance Sah - Danger of airway & skin sensitization
MUL	German FEA - Substances Hazardous to Waters	Class 2 - Hazard to Waters
SKI	EU - GHS (H-Statements)	H317 - May cause an allergic skin reaction [Skin sensitization - Category 1]
CAN	EU - GHS (H-Statements)	H351 - Suspected of causing cancer [Carcinogenicity - Category 2]
MAM	EU - GHS (H-Statements)	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organ toxicity - repeated exposure - Category 1]

SUBSTANCE NOTES: Percent weight interval is used to cover product variability.

MANGANESE (MANGANESE)				ID: <b>7439-</b> 96
HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD SO	CREENING DATE:	2021-09-23 12:35:44
%: 0.0000 - 2.2000	GS: LT-P1	RC: None	NANO: No	SUBSTANCE ROLE: Alloy element
HAZARD TYPE	AGENCY AND LIST TITLES	WA	RNINGS	
END	TEDX - Potential Endocrine Disruptors	Pot	tential Endocrine l	Disruptor
MUL	German FEA - Substances Hazardous to Waters	to Cla	ss 2 - Hazard to V	Vaters
REP	GHS - Japan		60 - May damage roduction - Categ	fertility or the unborn child [Toxic to

ZINC (ZINC)				ID: 7440-66-6
HAZARD SCREENING METHOD: P	haros Chemical and Materials Library	HAZARD SCR	REENING DATE:	2021-09-23 12:35:44
%: 0.0000 - 8.8000	GS: LT-P1	RC: None	NANO: No	SUBSTANCE ROLE: Galvanizing

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
END	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
MUL	German FEA - Substances Hazardous to Waters	Class 2 - Hazard to Waters
AQU	EU - GHS (H-Statements)	H400 - Very toxic to aquatic life [Hazardous to the aquatic environment (acute) - Category 1]
AQU	EU - GHS (H-Statements)	H410 - Very toxic to aquatic life with long lasting effects [Hazardous to the aquatic environment (chronic) - Category 1]
PHY	EU - GHS (H-Statements)	H250 - Catches fire spontaneously if exposed to air [Pyrophoric liquids; Pyrophoric solids - Category 1]
РНҮ	EU - GHS (H-Statements)	H260 - In contact with water releases flammable gases which may ignite spontaneously [Substances and mixtures which, in contact with water, emit flammable gases - Category 1]

SUBSTANCE NOTES: Galvanneal is composed of 88% zinc and 11% iron according to the manufacturer. Percent weight interval is used to cover product variability.

# **GALVANNEALED STEEL (REINFORCEMENTS)**

%: 1.6900 - 1.7500

PRODUCT THRESHOLD: 1000 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

MATERIAL TYPE: Metal

RESIDUALS AND IMPURITIES NOTES: According to the manufacturer, Lead and Cadmium are present in trace amount, generally inferior to 1 ppm in steel products. These impurities are coming from the sourced iron ore. The surface is passivated (dry). Surface treatment is less than 0.5% of the part weight; hence below the declaration threshold.

OTHER MATERIAL NOTES: Lock and hinges reinforcement are made of galvanneal steel.

IRON (IRON)				ID: 7439-89-6
HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD SCREENING DATE:	2021-09-23 12:35:34	

%: 87.8000 - 100.0000 GS: LT-P1 RC: Both NANO: No SUBSTANCE ROLE: Structure component

HAZARD TYPE AGENCY AND LIST TITLES WARNINGS

END TEDX - Potential Endocrine Disruptors Potential Endocrine Disruptor

SUBSTANCE NOTES: See Other Material Notes. Steel may contain 14-22% pre consumer recycled content and 19-34% post consumer recycled content. Percent weight interval is used to cover product variability.

NICKEL (NICKEL) ID: 7440-02-0

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2021-09-23 12:35:41

%: 0.0000 - 0.2000 GS: LT-1 RC: None NANO: No SUBSTANCE ROLE: Alloy element

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
CAN	US CDC - Occupational Carcinogens	Occupational Carcinogen
CAN	MAK	Carcinogen Group 1 - Substances that cause cancer in man
CAN	IARC	Group 1 - Agent is Carcinogenic to humans
CAN	CA EPA - Prop 65	Carcinogen
CAN	US NIH - Report on Carcinogens	Known to be a human Carcinogen
CAN	IARC	Group 2b - Possibly carcinogenic to humans
RES	AOEC - Asthmagens	Asthmagen (Rs) - sensitizer-induced
CAN	US NIH - Report on Carcinogens	Reasonably Anticipated to be Human Carcinogen
RES	MAK	Sensitizing Substance Sah - Danger of airway & skin sensitization
MUL	German FEA - Substances Hazardous to Waters	Class 2 - Hazard to Waters
SKI	EU - GHS (H-Statements)	H317 - May cause an allergic skin reaction [Skin sensitization - Category 1]
CAN	EU - GHS (H-Statements)	H351 - Suspected of causing cancer [Carcinogenicity - Category 2]
MAM	EU - GHS (H-Statements)	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organ toxicity - repeated exposure - Category 1]

SUBSTANCE NOTES: Percent weight interval is used to cover product variability.

CHROMIUM (CHROMIUM)				ID: 7440-47-
HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD	SCREENING DATE:	2021-09-23 12:35:41
%: <b>0.0000 - 0.6000</b>	GS: LT-P1	RC: None	NANO: No	SUBSTANCE ROLE: Alloy element
HAZARD TYPE	AGENCY AND LIST TITLES	V	VARNINGS	
END	TEDX - Potential Endocrine Disruptors	Р	otential Endocrine	Disruptor
SKI	MAK	s	ensitizing Substanc	ce Sh - Danger of skin sensitization
RES	AOEC - Asthmagens	А	sthmagen (Rs) - se	nsitizer-induced

MANGANESE (MANGANESE)					ID: 7439-96-5
HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD SC	REENING DATE:	2021-09-23 12:35:42	
%: 0.0000 - 2.1000	GS: LT-P1	RC: None	NANO: No	SUBSTANCE ROLE: All	loy element

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
END	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
MUL	German FEA - Substances Hazardous to Waters	Class 2 - Hazard to Waters
REP	GHS - Japan	H360 - May damage fertility or the unborn child [Toxic to reproduction - Category 1B]

SUBSTANCE NOTES: Percent weight interval is used to cover product variability.

ZINC (ZINC) ID: 7440-66-6

` '						
HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZAF	IAZARD SCREENING DATE:		2021-09-23 12:35:42	
%: 0.0000 - 8.8000	GS: <b>LT-P1</b>	RC: No	ne	NANO: No	SUBSTANCE ROLE: Galvanizing	
HAZARD TYPE	AGENCY AND LIST TITLES		WARI	NINGS		
END	TEDX - Potential Endocrine Disruptors	3	Poter	ntial Endocrine D	isruptor	
MUL	German FEA - Substances Hazardous Waters	German FEA - Substances Hazardous to Waters		Class 2 - Hazard to Waters		
AQU	EU - GHS (H-Statements)		H400 - Very toxic to aquatic life [Hazardous to the aquatic environment (acute) - Category 1]			
AQU	EU - GHS (H-Statements)		H410 - Very toxic to aquatic life with long lasting effect [Hazardous to the aquatic environment (chronic) - Category 1]			
PHY	EU - GHS (H-Statements)		H250 - Catches fire spontaneously if exposed to a [Pyrophoric liquids; Pyrophoric solids - Category 1		, ,	
РНҮ	EU - GHS (H-Statements)		which mixtu	n may ignite spo	n water releases flammable gases ntaneously [Substances and ntact with water, emit flammable	

SUBSTANCE NOTES: See Other Material Notes. According to the manufacturer, zinc coating weight can be up to 10w% of total steel weight. Since we do not have specific data, we are using the full range of 0% to 10%. Percent weight interval is used to cover product variability.

ADHESIVE %: 0.0500 - 0.5000

PRODUCT THRESHOLD: 1000 ppm RESIDUALS AND IMPURITIES CONSIDERED: Yes

MATERIAL TYPE: Polymeric Material

RESIDUALS AND IMPURITIES NOTES: No data was given by the manufacturer since the manufacturer does not test its products for residuals or impurities.

OTHER MATERIAL NOTES: The amount of adhesive varies among the rated insulated steel door. Names and CAS numbers of substances were not disclosed and ranges given to protect proprietary information.

UNDISCLOSED	ID: Undisclosed			
HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD SC	REENING DATE:	2021-09-23 12:35:34
%: 70.0000 - 90.0000	GS: LT-UNK	RC: None	NANO: <b>No</b>	SUBSTANCE ROLE: Monomer
HAZARD TYPE	AGENCY AND LIST TITLES	WAR	NINGS	
None found			No warnings	found on HPD Priority Hazard Lists

SUBSTANCE NOTES: This substance is undisclosed as it is proprietary. Percent weight interval is used to cover product variability and keep exact material composition confidential.

UNDISCLOSED					ID: Undisclosed
HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZAF	RD SCF	REENING DATE:	2021-09-23 12:35:36
%: 10.0000 - 30.0000	GS: LT-UNK	RC: No	ne	NANO: No	SUBSTANCE ROLE: Monomer
HAZARD TYPE	AGENCY AND LIST TITLES		WARN	IINGS	
MUL	US EPA - PPT Chemical Action Plans		EPA C	hemical of Conc	ern - Action Plan published
RES	AOEC - Asthmagens		Asthm	agen (G) - gener	ally accepted
CAN	MAK			ogen Group 4 - I k under MAK/BA	Non-genotoxic carcinogen with AT levels
RES	MAK		Sensiti sensiti	•	Sah - Danger of airway & skin
RES	US EPA - PPT Chemical Action Plans		Inhalat	tion sensitizer ca	ausing asthma and lung damage
SKI	EU - GHS (H-Statements)			May cause an a zation - Categor	allergic skin reaction [Skin y 1]
SKI	EU - GHS (H-Statements)		H315 - Catego		tation [Skin corrosion/irritation -
CAN	EU - GHS (H-Statements)		H351 - Catego		ausing cancer [Carcinogenicity -
EYE	EU - GHS (H-Statements)			· Causes serious ge/eye irritation -	eye irritation [Serious eye Category 2A]
RES	EU - GHS (H-Statements)		breath	-	rgy or asthma symptoms or inhaled [Respiratory sensitization

SUBSTANCE NOTES: This substance is undisclosed as it is proprietary. Percent weight interval is used to cover product variability and keep exact material composition confidential.

PAINT %: 0.0100

PRODUCT THRESHOLD: 1000 ppm RESIDUALS AND IMPURITIES CONSIDERED: No

MATERIAL TYPE: Polymeric Material

RESIDUALS AND IMPURITIES NOTES: Residuals or impurities not identified by manufacturer.

OTHER MATERIAL NOTES: Water-based acrylic paint for metal products. Only ingredients presented in the SDS are disclosed in the HPD given that the amount of paint is below the disclosure threshold (1,000 ppm).

INDICATED CONTENTION WILLI	HOD: Pharos Chemical and Materials Library	1171271112 001	TILLITING BITTE.	2021-09-23 12:35:38
6: <b>1.0000 - 5.0000</b>	GS: LT-UNK	RC: None	NANO: <b>No</b>	SUBSTANCE ROLE: Solvent
HAZARD TYPE	AGENCY AND LIST TITLES	WARI	NINGS	
SKI	EU - GHS (H-Statements)	H315 - Causes skin irritation [Skin corrosion/irri		
EYE	EU - GHS (H-Statements)		- Causes serious	s eye irritation [Serious eye - Category 2A]

## TITANIUM DIOXIDE (TITANIUM DIOXIDE)

ID: 13463-67-7

HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZA	2021-09-23 12:35:38		
%: 1.0000 - 10.0000	GS: <b>LT-1</b>	RC: N	lone	NANO: No	SUBSTANCE ROLE: Pigment
HAZARD TYPE	AGENCY AND LIST TITLES		WARN	INGS	
CAN	US CDC - Occupational Carcinogens	Occupational Carcinogen			gen
CAN	CA EPA - Prop 65	Carcinogen - specific to chemical form or exposu			
CAN	IARC	Group 2B - Possibly carcinogenic to humans - inf from occupational sources			•
CAN	MAK	Carcinogen Group 3A - Evidence of carcinogenic e but not sufficient to establish MAK/BAT value			· ·
END	TEDX - Potential Endocrine Disruptors	rs Potential Endocrine Disruptor			sruptor
CAN	MAK	Carcinogen Group 4 - Non-genotoxic carcinoge low risk under MAK/BAT levels			
CAN	EU - GHS (H-Statements)		H351 - Catego		ausing cancer [Carcinogenicity -

POLYURETHANE-BASED INSULATING PANEL

%: 0.0000 - 6.2300

PRODUCT THRESHOLD: 1000 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

MATERIAL TYPE: Polymeric Material

RESIDUALS AND IMPURITIES NOTES: The manufacturer does not test for residuals or impurities in its manufactured foam insulation products.

SUBSTANCE NOTES: Percent weight interval is used to cover product variability and keep exact material composition confidential.

OTHER MATERIAL NOTES: Polyurethane-based insulating panel with a reinforced facer composed of glass fibers and a cellulosic component. This material is used in the R-12.9 insulated steel door from Métalec. Material contain's 10-32% post consumer recycled content and 2-3% pre consumer recycled content. No details were given regarding the sourcing of the recycled content.

# 4,4'-DIPHENYLMETHANE DIISOCYANATE

ID: 101-68-8

HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD SCF	REENING DATE:	2021-09-23 12:35:35
%: <b>40.0000 - 45.0000</b>	GS: LT-UNK	RC: None	NANO: <b>No</b>	SUBSTANCE ROLE: Monomer

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
MUL	US EPA - PPT Chemical Action Plans	EPA Chemical of Concern - Action Plan published
RES	AOEC - Asthmagens	Asthmagen (G) - generally accepted
CAN	MAK	Carcinogen Group 4 - Non-genotoxic carcinogen with low risk under MAK/BAT levels
RES	MAK	Sensitizing Substance Sah - Danger of airway & skin sensitization
RES	US EPA - PPT Chemical Action Plans	Inhalation sensitizer causing asthma and lung damage
SKI	EU - GHS (H-Statements)	H317 - May cause an allergic skin reaction [Skin sensitization - Category 1]
SKI	EU - GHS (H-Statements)	H315 - Causes skin irritation [Skin corrosion/irritation - Category 2]
CAN	EU - GHS (H-Statements)	H351 - Suspected of causing cancer [Carcinogenicity - Category 2]
EYE	EU - GHS (H-Statements)	H319 - Causes serious eye irritation [Serious eye damage/eye irritation - Category 2A]
RES	EU - GHS (H-Statements)	H334 - May cause allergy or asthma symptoms or breathing difficulties if inhaled [Respiratory sensitization - Category 1]

SUBSTANCE NOTES: Percent weight interval is used to cover product variability and keep exact material composition confidential.

## 1,2-PROPYLENEGLYCOL, ETHOXYLATED AND PROPOXYLATED

ID: 53637-25-5

HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	y HAZARD SCREENING DATE: 2021-09-23 12:35:35			
%: 20.0000 - 25.0000	GS: LT-UNK	RC: None	NANO: <b>No</b>	SUBSTANCE ROLE: Polymer species	
HAZARD TYPE	AGENCY AND LIST TITLES	WA	RNINGS		
None found No warnings found on HPD Priority Hazard Li					

SUBSTANCE NOTES: Percent weight interval is used to cover product variability and keep exact material composition confidential.

# CELLULOSE, MICROCRYSTALLINE

ID: 9004-34-6

HAZARD SCREENING METH	OD: Pharos Chemical and Materials Library	HAZARD S	CREENING I	DATE: 2021-09-23 12:35:36	
%: 16.0000 - 19.0000	GS: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Structure component	
HAZARD TYPE	AGENCY AND LIST TITLES	W	ARNINGS		
RES	AOEC - Asthmagens	Asthmagen (Rs) - sensitizer-induced			
SUBSTANCE NOTES: Perce	ent weight interval is used to cover product var	duct variability and keep exact material compos		aterial composition confidential.	

## TRI-(2-CHLOROISOPROPYL)PHOSPHATE

ID: 13674-84-5

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2021-09-23 12:35:37

%: 2.0000 - 5.0000 GS: BM-U RC: None NANO: No SUBSTANCE ROLE: Flame retardant

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
END	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
MUL	US EPA - PPT Chemical Action Plans	TSCA Work Plan chemical - ongoing chemical (risk) assessment
РВТ	EHP - San Antonio Statement on BFRs & CFRs	Flame retardant substance class of concern for PB&T & long range transport

SUBSTANCE NOTES: Percent weight interval is used to cover product variability and keep exact material composition confidential.

#### **CONTINUOUS FILAMENT GLASS FIBER, NON-RESPIRABLE**

ID: 65997-17-3

ID: 78-78-4

HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD SCREENING DATE: 2021-09-21 20:30:16				
%: 0.0000 - 2.0000	GS: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Abrasion resistance		
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS				
None found No warnings found on HPD Priority Hazard Lists						

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2021-09-21 20:30:16
%: 0.0000 - 5.0000 GS: LT-P1 RC: None NANO: No SUBSTANCE ROLE: Blowing agent
HAZARD TYPE AGENCY AND LIST TITLES WARNINGS

German FEA - Substances Hazardous to Class 2 - Hazard to Waters MUL Waters MAM EU - GHS (H-Statements) H304 - May be fatal if swallowed and enters airways [Aspiration hazard - Category 1] AQU EU - GHS (H-Statements) H411 - Toxic to aquatic life with long lasting effects [Hazardous to the aquatic environment (chronic) -Category 2] PHY EU - GHS (H-Statements) H224 - Extremely flammable liquid and vapour [Flammable liquids - Category 1]

SUBSTANCE NOTES: Percent weight interval is used to cover product variability and exact composition confidential.

SUBSTANCE NOTES: Percent weight interval is used to cover product variability and exact composition confidential.

CYCLOPENTANE				ID: 287-92-3
HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD :	SCREENING DATE	2021-09-21 20:30:15
%: 0.0000 - 5.0000	GS: LT-UNK	RC: None	NANO: <b>No</b>	SUBSTANCE ROLE: Blowing agent
HAZARD TYPE	AGENCY AND LIST TITLES	V	/ARNINGS	
PHY EU - GHS (H-Statements)			225 - Highly flamm quids - Category 2	nable liquid and vapour [Flammable ]

SUBSTANCE NOTES: Percent weight interval is used to cover product variability and keep exact material composition confidential.

**ISOPENTANE** 

POLYSTYRENE INSULATION

%: 0.0000 - 2.5900

PRODUCT THRESHOLD: 1000 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

MATERIAL TYPE: Polymeric Material

RESIDUALS AND IMPURITIES NOTES: According to the manufacturer no residuals except traces of blowing agent are present in the final polystyrene product.

OTHER MATERIAL NOTES: Polystyrene foam used in R-8.75 insulated steel door.

## **POLYSTYRENE (POLYSTYRENE)**

ID: 9003-53-6

HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD SCREENING DATE: 2021-09-23 12:35:33				
%: 92.0000 - 97.0000	GS: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Polymer species		
HAZARD TYPE	AGENCY AND LIST TITLES	WAF	RNINGS			
None found			No warni	ings found on HPD Priority Hazard Lists		

SUBSTANCE NOTES: Percent weight interval is used to cover product variability and keep exact material composition confidential.

HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZAF	RD SC	REENING DAT	TE: 2021-09-23 12:35:37
%: 3.0000 - 8.0000	GS: <b>LT-P1</b>	RC: No	ne	NANO: No	SUBSTANCE ROLE: Blowing ager
HAZARD TYPE	AGENCY AND LIST TITLES		WAR	NINGS	
MUL	German FEA - Substances Hazardous Waters	to	Class	s 2 - Hazard to	Waters
РНҮ	EU - GHS (H-Statements)		H225 - Highly flammable liquid and vapour [Flammable liquids - Category 2]		
MAM	EU - GHS (H-Statements)		H304 - May be fatal if swallowed and enters airways [Aspiration hazard - Category 1]		
AQU	EU - GHS (H-Statements)		H411 - Toxic to aquatic life with long lasting effects [Hazardous to the aquatic environment (chronic) - Category 2]		

ISOPENTANE (ISOPENTANE)	ID:	: 78-78-4
HAZARD SCREENING METHOD: Pharos Chemical and Materials Library	HAZARD SCREENING DATE: 2021-09-23 12:35:40	

GS: LT-P1

%: 0.0000 - 3.0000

RC: None NANO: No SUBSTANCE ROLE: Blowing agent

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
MUL	German FEA - Substances Hazardous to Waters	Class 2 - Hazard to Waters
MAM	EU - GHS (H-Statements)	H304 - May be fatal if swallowed and enters airways [Aspiration hazard - Category 1]
AQU	EU - GHS (H-Statements)	H411 - Toxic to aquatic life with long lasting effects [Hazardous to the aquatic environment (chronic) - Category 2]
PHY	EU - GHS (H-Statements)	H224 - Extremely flammable liquid and vapour [Flammable liquids - Category 1]

SUBSTANCE NOTES: Percent weight interval is used to cover product variability and keep exact material composition confidential.



# Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

21

### **VOC EMISSIONS**

### CDPH Standard Method V1.2 (Section 01350/CHPS) - Not tested

CERTIFYING PARTY: Self-declared APPLICABLE FACILITIES: Quebec City ISSUE DATE: 2021-09- EXPIRY DATE:

CERTIFIER OR LAB: n/a

**CERTIFICATE URL:** 

**CERTIFICATION AND COMPLIANCE NOTES:** 



# **Section 4: Accessories**

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

No accessories are required for this product.



# Section 5: General Notes

#### MANUFACTURER INFORMATION

MANUFACTURER: MÉTALEC ADDRESS: 2150, rue Léon-Hamel Quebec City Quebec G1N 4L2, Canada

WEBSITE: www.metalec.com

**CONTACT NAME: Claude Harton** 

TITLE: General Manager PHONE: 1-877-683-2431 EMAIL: charton@metalec.com

The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.

#### **KEY**

## **Hazard Types**

**AQU** Aquatic toxicity

**CAN** Cancer

**DEV** Developmental toxicity

**END** Endocrine activity

EYE Eye irritation/corrosivity

**GEN** Gene mutation

**GLO** Global warming

LAN Land toxicity

MAM Mammalian/systemic/organ toxicity

**MUL** Multiple

**NEU** Neurotoxicity

NF Not found on Priority Hazard Lists

**OZO** Ozone depletion

PBT Persistent, bioaccumulative, and toxic

PHY Physical hazard (flammable or reactive)

**REP** Reproductive

**RES** Respiratory sensitization

SKI Skin sensitization/irritation/corrosivity

**UNK** Unknown

### GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)

BM-3 Benchmark 3 (use but still opportunity for improvement)

BM-2 Benchmark 2 (use but search for safer substitutes)

BM-1 Benchmark 1 (avoid - chemical of high concern)

BM-U Benchmark Unspecified (due to insufficient data)

LT-P1 List Translator Possible 1 (Possible Benchmark-1)

LT-1 List Translator 1 (Likely Benchmark-1)

LT-UNK List Translator Benchmark Unknown (the chemical is

information contained within the list did not result in a clear mapping

to a LT-1 or LTP1 score.)

#### **Recycled Types**

PreC Pre-consumer recycled content

PostC Post-consumer recycled content

UNK Inclusion of recycled content is unknown

None Does not include recycled content

present on at least one GreenScreen Specified List, but the

NoGS No GreenScreen.

## Other Terms:

GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material Nested Method / Product Threshold Substances listed within each material per threshold indicated per product Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology

Third Party Verified Verification by independent certifier approved by HPDC

Preparer Third party preparer, if not self-prepared by manufacturer

Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.