

HPD UNIQUE IDENTIFIER: 26136

CLASSIFICATION: 08 11 00 Metal Doors and Frames

PRODUCT DESCRIPTION: This HPD covers Plywood-reinforced insulated steel doors by Métalec. Insulated steel doors are made of 18 gauge steel. Product dimensions are 36" x 84" x 1 3/4". Métalec steel doors are compliant to ASTM A 653/A 653M, NAAMM, HMMA, NFPA 80, CSDMA.

Section 1: Summary

Nested Method / Product Threshold

CONTENT INVENTORY

Inventory Reporting Format	Threshold level	Residuals/Impurities	<i>All Substances Above the Threshold Indicated Are:</i> Characterized <input checked="" type="radio"/> Yes Ex/SC <input type="radio"/> Yes <input type="radio"/> No % weight and role provided for all substances except SC substances characterized according to SC guidance. Screened <input checked="" type="radio"/> Yes Ex/SC <input type="radio"/> Yes <input type="radio"/> No All substances screened using Priority Hazard Lists with results disclosed except SC substances screened according to SC guidance. Identified <input type="radio"/> Yes Ex/SC <input type="radio"/> Yes <input checked="" type="radio"/> No One or more substances not disclosed by Name (Specific or Generic) and Identifier and/ or one or more Special Condition did not follow guidance.
<input checked="" type="radio"/> Nested Materials Method	<input type="radio"/> 100 ppm	Residuals/Impurities	
<input type="radio"/> Basic Method	<input checked="" type="radio"/> 1,000 ppm	Residuals/Impurities	
Threshold Disclosed Per	<input type="radio"/> Per GHS SDS	Considered in 5 of 6 Materials	
<input type="radio"/> Material	<input type="radio"/> Other	Explanation(s) provided for Residuals/Impurities?	
<input checked="" type="radio"/> Product		<input checked="" type="radio"/> Yes <input type="radio"/> No	

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY

GREENSCREEN SCORE | HAZARD TYPE

GALVANNEALED STEEL (DOOR SKIN) [IRON (IRON) LT-P1 | END CHROMIUM (CHROMIUM) LT-P1 | END | SKI | RES NICKEL (NICKEL) LT-1 | CAN | RES | MUL | SKI | MAM MANGANESE (MANGANESE) LT-P1 | END | MUL | REP ZINC (ZINC) LT-P1 | END | MUL | AQU | PHY] PLYWOOD [SC:WOOD Not Screened PHENOL FORMALDEHYDE (PHENOL FORMALDEHYDE) LT-P1 | RES FORMALDEHYDE (FORMALDEHYDE) BM-1 | CAN | END | SKI | MUL | RES | MAM | GEN] POLYURETHANE-BASED INSULATING PANEL [4,4'-DIPHENYLMETHANE DIISOCYANATE LT-UNK | MUL | RES | CAN | SKI | EYE 1,2-PROPYLENEGLYCOL, ETHOXYLATED AND PROPOXYLATED LT-UNK CELLULOSE, MICROCRYSTALLINE LT-UNK | RES TRI-(2-CHLOROISOPROPYL)PHOSPHATE BM-U | END | MUL | PBT CONTINUOUS FILAMENT GLASS FIBER, NON-RESPIRABLE LT-UNK ISOPENTANE LT-P1 | MUL | MAM | AQU | PHY CYCLOPENTANE LT-UNK | PHY] GALVANNEALED STEEL (REINFORCEMENTS) [IRON (IRON) LT-P1 | END NICKEL (NICKEL) LT-1 | CAN | RES | MUL | SKI | MAM CHROMIUM (CHROMIUM) LT-P1 | END | SKI | RES MANGANESE (MANGANESE) LT-P1 | END | MUL | REP ZINC (ZINC) LT-P1 | END | MUL | AQU | PHY] ADHESIVE [UNDISCLOSED LT-UNK UNDISCLOSED LT-UNK | MUL | RES | CAN | SKI | EYE] PAINT [TITANIUM DIOXIDE (TITANIUM DIOXIDE) LT-1 | CAN | END BUTOXYPROPANOL (BUTOXYPROPANOL) LT-UNK | SKI | EYE]

Number of Greenscreen BM-4/BM3 contents ... 0

Contents highest concern GreenScreen Benchmark or List translator Score ... BM-1
Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

Special conditions applied: BiologicalMaterial

[LEED v4] "Yes ex/SC" result is due only to materials and substances for which Special Conditions were applied. Thus "Yes ex/SC" does not disqualify the product for the LEED v4 Materials and Resources Disclosure and Optimization credit, Option 1.

Special Conditions materials are present in the product: biological material, metal alloy material, reaction products, polymeric materials. Guidelines for reporting Metals (SCMetalAlloy/2020-08-06) were followed even though they are not yet in effect. The full metal alloy composition were reported. Guidelines for reporting biological materials (SCBioMats/2018-02-23), published 2018-12-08, were followed. Other guidelines for reporting Special Conditions materials are still under development by HPDC and the manufacturer will update the HPD accordingly once these guidelines get published. One or more substances are not disclosed by name or identifier as they are proprietary.

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

VOC Content data is not applicable for this product category.

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings.

VOC emissions: CDPH Standard Method V1.2 (Section 01350/CHPS) - Classroom & Office scenario

Third Party Verified?

- Yes
- No

PREPARER: Vertima

VERIFIER:

VERIFICATION #:

SCREENING DATE: 2021-09-23

PUBLISHED DATE: 2021-09-23

EXPIRY DATE: 2024-09-23

Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.2, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-2-standard

GALVANNEALED STEEL (DOOR SKIN)

%: 62.2200

PRODUCT THRESHOLD: 1000 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

MATERIAL TYPE: Metal

RESIDUALS AND IMPURITIES NOTES: According to the manufacturer, Lead and Cadmium are present in trace amount, generally inferior to 1 ppm in steel products. These impurities are coming from the sourced iron ore. Passivation surface treatment with a chromic acid solution leaves a total chromium residual of 11 to 27 mg/m² per side.

OTHER MATERIAL NOTES: 18 Ga galvanized carbon steel sheets with a passivation surface treatment.

IRON (IRON)

ID: 7439-89-6

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2021-09-23 12:34:28

%: 88.3000 - 100.0000

GS: LT-P1

RC: Both

NANO: No

SUBSTANCE ROLE: Structure component

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

END

TEDX - Potential Endocrine Disruptors

Potential Endocrine Disruptor

SUBSTANCE NOTES: Iron is the main element for carbon steel. It is also present in the Galvanneal coating at 11% or between 0.14 to 1.2 wt.% in the final galvanized sheet. Steel may contain 22% pre consumer recycled content and 34% post consumer recycled content. Percent weight interval is used to cover product variability.

CHROMIUM (CHROMIUM)

ID: 7440-47-3

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2021-09-23 12:34:35

%: 0.0000 - 0.6500

GS: LT-P1

RC: None

NANO: No

SUBSTANCE ROLE: Alloy element

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

END

TEDX - Potential Endocrine Disruptors

Potential Endocrine Disruptor

SKI

MAK

Sensitizing Substance Sh - Danger of skin sensitization

RES

AOEC - Asthmagens

Asthmagen (Rs) - sensitizer-induced

SUBSTANCE NOTES: Chromium is an alloying element in carbon steel as well as a residual coming from the passivation surface treatment of galvanized steel sheets. See all material notes for further details. Percent weight interval is used to cover product variability.

NICKEL (NICKEL)

ID: 7440-02-0

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2021-09-23 12:34:37

%: 0.0000 - 0.2500

GS: LT-1

RC: None

NANO: No

SUBSTANCE ROLE: Alloy element

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
CAN	US CDC - Occupational Carcinogens	Occupational Carcinogen
CAN	MAK	Carcinogen Group 1 - Substances that cause cancer in man
CAN	IARC	Group 1 - Agent is Carcinogenic to humans
CAN	CA EPA - Prop 65	Carcinogen
CAN	US NIH - Report on Carcinogens	Known to be a human Carcinogen
CAN	IARC	Group 2b - Possibly carcinogenic to humans
RES	AOEC - Asthmagens	Asthmagen (Rs) - sensitizer-induced
CAN	US NIH - Report on Carcinogens	Reasonably Anticipated to be Human Carcinogen
RES	MAK	Sensitizing Substance Sah - Danger of airway & skin sensitization
MUL	German FEA - Substances Hazardous to Waters	Class 2 - Hazard to Waters
SKI	EU - GHS (H-Statements)	H317 - May cause an allergic skin reaction [Skin sensitization - Category 1]
CAN	EU - GHS (H-Statements)	H351 - Suspected of causing cancer [Carcinogenicity - Category 2]
MAM	EU - GHS (H-Statements)	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organ toxicity - repeated exposure - Category 1]

SUBSTANCE NOTES: Percent weight interval is used to cover product variability.

MANGANESE (MANGANESE)

ID: 7439-96-5

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
END	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
MUL	German FEA - Substances Hazardous to Waters	Class 2 - Hazard to Waters
REP	GHS - Japan	H360 - May damage fertility or the unborn child [Toxic to reproduction - Category 1B]

SUBSTANCE NOTES: Percent weight interval is used to cover product variability.

ZINC (ZINC)

ID: 7440-66-6

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
END	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2021-09-23 12:34:38**
 %: **0.0000 - 8.8000** GS: **LT-P1** RC: **None** NANO: **No** SUBSTANCE ROLE: **Galvanizing**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
END	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
MUL	German FEA - Substances Hazardous to Waters	Class 2 - Hazard to Waters
AQU	EU - GHS (H-Statements)	H400 - Very toxic to aquatic life [Hazardous to the aquatic environment (acute) - Category 1]
AQU	EU - GHS (H-Statements)	H410 - Very toxic to aquatic life with long lasting effects [Hazardous to the aquatic environment (chronic) - Category 1]
PHY	EU - GHS (H-Statements)	H250 - Catches fire spontaneously if exposed to air [Pyrophoric liquids; Pyrophoric solids - Category 1]
PHY	EU - GHS (H-Statements)	H260 - In contact with water releases flammable gases which may ignite spontaneously [Substances and mixtures which, in contact with water, emit flammable gases - Category 1]

SUBSTANCE NOTES: Galvanneal is composed of 88% zinc and 11% iron according to the manufacturer. Percent weight interval is used to cover product variability.

PLYWOOD

#: 33.9000

PRODUCT THRESHOLD: 1000 ppm RESIDUALS AND IMPURITIES CONSIDERED: Yes MATERIAL TYPE: Wood Dust, Fiber or Chips

RESIDUALS AND IMPURITIES NOTES: Free formaldehyde is present in the final product at level inferior to 0.04 ppm.

OTHER MATERIAL NOTES: Plywoods are sourced from a distributor. The composition is based on the most representative plywood used by Métalec in its products. Wax may be present (0.2 wt.%) and a negligible amount of ink.

SC:WOOD

ID: SC:Bio

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: Not Screened

#: 90.0000 - 96.0000 GS: Not Screened RC: UNK NANO: No SUBSTANCE ROLE: Structure component

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
	Hazard Screening not performed	

SUBSTANCE NOTES:

Version: SCBioMats/2018-02-23
 Category: Tree-based materials
 Identifier: Hardwood and softwood

This disclosure does not provide information on allergens, hyper-accumulation of metals, production of any toxic substances during normal metabolic activities, pesticides, and other potential hazards or sources of hazards which may be found in certain biological materials. Percent weight interval is used to cover product variability.

PHENOL FORMALDEHYDE (PHENOL FORMALDEHYDE)

ID: 9003-35-4

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2021-09-23 12:34:31

#: 3.5000 - 10.0000 GS: LT-P1 RC: None NANO: No SUBSTANCE ROLE: Binder

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
RES	AOEC - Asthmagens	Asthmagen (Rs) - sensitizer-induced

SUBSTANCE NOTES: Cured PF resin. Level of free formaldehyde inferior to 0.04 ppm. Percent weight interval is used to cover product variability.

FORMALDEHYDE (FORMALDEHYDE)

ID: 50-00-0

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2021-09-23 12:34:39**

%: **Impurity/Residual** GS: **BM-1** RC: **None** NANO: **No** SUBSTANCE ROLE: **Impurity/Residual**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
CAN	US CDC - Occupational Carcinogens	Occupational Carcinogen
END	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
CAN	EU - REACH Annex XVII CMRs	Carcinogen Category 2 - Substances which should be regarded as if they are Carcinogenic to man
CAN	EU - Annex VI CMRs	Carcinogen Category 1B - Presumed Carcinogen based on animal evidence
SKI	MAK	Sensitizing Substance Sh - Danger of skin sensitization
MUL	ChemSec - SIN List	CMR - Carcinogen, Mutagen &/or Reproductive Toxicant
MUL	German FEA - Substances Hazardous to Waters	Class 3 - Severe Hazard to Waters
RES	AOEC - Asthmagens	Asthmagen (G) - generally accepted
CAN	US EPA - IRIS Carcinogens	(1986) Group B1 - Probable human Carcinogen
CAN	IARC	Group 1 - Agent is Carcinogenic to humans
CAN	CA EPA - Prop 65	Carcinogen
CAN	US NIH - Report on Carcinogens	Known to be a human Carcinogen
CAN	MAK	Carcinogen Group 4 - Non-genotoxic carcinogen with low risk under MAK/BAT levels
MAM	US EPA - EPCRA Extremely Hazardous Substances	Extremely Hazardous Substances
CAN	GHS - New Zealand	6.7A - Known or presumed human carcinogens
CAN	EU - GHS (H-Statements)	H350 - May cause cancer [Carcinogenicity - Category 1A or 1B]
CAN	GHS - Japan	H350 - May cause cancer [Carcinogenicity - Category 1A]
CAN	GHS - Australia	H350i - May cause cancer by inhalation [Carcinogenicity - Category 1A or 1B]
SKI	EU - GHS (H-Statements)	H314 - Causes severe skin burns and eye damage [Skin corrosion/irritation - Category 1A or 1B or 1C]
MAM	EU - GHS (H-Statements)	H301 - Toxic if swallowed [Acute toxicity (oral) - Category 3]
MAM	EU - GHS (H-Statements)	H311 - Toxic in contact with skin [Acute toxicity (dermal) - Category 3]
SKI	EU - GHS (H-Statements)	H317 - May cause an allergic skin reaction [Skin sensitization - Category 1]
MAM	EU - GHS (H-Statements)	H331 - Toxic if inhaled [Acute toxicity (inhalation) - Category 3]
CAN	GHS - Korea	H350 - May cause cancer [Carcinogenicity - Category 1]
GEN	EU - GHS (H-Statements)	H341 - Suspected of causing genetic defects [Germ cell mutagenicity - Category 2]

SUBSTANCE NOTES: Residual from phenol formaldehyde resin.

RESIDUALS AND IMPURITIES NOTES: The manufacturer does not test for residuals or impurities in its manufactured foam insulation products.

OTHER MATERIAL NOTES: Polyurethane-based insulating panel with a reinforced facer composed of glass fibers and a cellulosic component. This material is used in the R-12.9 insulated steel door from Métalec. Material contain's 10-32% post consumer recycled content and 2-3% pre consumer recycled content. No details were given regarding the sourcing of the recycled content.

4,4'-DIPHENYLMETHANE DIISOCYANATE

ID: 101-68-8

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2021-09-23 12:34:29**

#: **40.0000 - 45.0000** GS: **LT-UNK** RC: **None** NANO: **No** SUBSTANCE ROLE: **Monomer**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
MUL	US EPA - PPT Chemical Action Plans	EPA Chemical of Concern - Action Plan published
RES	AOEC - Asthmagens	Asthmagen (G) - generally accepted
CAN	MAK	Carcinogen Group 4 - Non-genotoxic carcinogen with low risk under MAK/BAT levels
RES	MAK	Sensitizing Substance Sah - Danger of airway & skin sensitization
RES	US EPA - PPT Chemical Action Plans	Inhalation sensitizer causing asthma and lung damage
SKI	EU - GHS (H-Statements)	H317 - May cause an allergic skin reaction [Skin sensitization - Category 1]
SKI	EU - GHS (H-Statements)	H315 - Causes skin irritation [Skin corrosion/irritation - Category 2]
CAN	EU - GHS (H-Statements)	H351 - Suspected of causing cancer [Carcinogenicity - Category 2]
EYE	EU - GHS (H-Statements)	H319 - Causes serious eye irritation [Serious eye damage/eye irritation - Category 2A]
RES	EU - GHS (H-Statements)	H334 - May cause allergy or asthma symptoms or breathing difficulties if inhaled [Respiratory sensitization - Category 1]

SUBSTANCE NOTES: Percent weight interval is used to cover product variability and keep exact material composition confidential.

1,2-PROPYLENEGLYCOL, ETHOXYLATED AND PROPOXYLATED

ID: 53637-25-5

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2021-09-23 12:34:30**

#: **20.0000 - 25.0000** GS: **LT-UNK** RC: **None** NANO: **No** SUBSTANCE ROLE: **Polymer species**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: Percent weight interval is used to cover product variability and keep exact material composition confidential.

CELLULOSE, MICROCRYSTALLINE

ID: 9004-34-6

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2021-09-23 12:34:30**

#: **16.0000 - 19.0000** GS: **LT-UNK** RC: **None** NANO: **No** SUBSTANCE ROLE: **Structure component**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
RES	AOEC - Asthmagens	Asthmagen (Rs) - sensitizer-induced

SUBSTANCE NOTES: Percent weight interval is used to cover product variability and keep exact material composition confidential.

TRI-(2-CHLOROISOPROPYL)PHOSPHATE

ID: 13674-84-5

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2021-09-23 12:34:32	
#: 2.0000 - 5.0000	GS: BM-U	RC: None	NANO: No
SUBSTANCE ROLE: Flame retardant			
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS	
END	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor	
MUL	US EPA - PPT Chemical Action Plans	TSCA Work Plan chemical - ongoing chemical (risk) assessment	
PBT	EHP - San Antonio Statement on BFRs & CFRs	Flame retardant substance class of concern for PB&T & long range transport	

SUBSTANCE NOTES: Percent weight interval is used to cover product variability and keep exact material composition confidential.

CONTINUOUS FILAMENT GLASS FIBER, NON-RESPIRABLE

ID: 65997-17-3

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2021-09-21 20:32:56	
#: 0.0000 - 2.0000	GS: LT-UNK	RC: None	NANO: No
SUBSTANCE ROLE: Abrasion resistance			
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS	
None found		No warnings found on HPD Priority Hazard Lists	

SUBSTANCE NOTES: Percent weight interval is used to cover product variability and exact composition confidential.

ISOPENTANE

ID: 78-78-4

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2021-09-21 20:32:55	
#: 0.0000 - 5.0000	GS: LT-P1	RC: None	NANO: No
SUBSTANCE ROLE: Blowing agent			
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS	
MUL	German FEA - Substances Hazardous to Waters	Class 2 - Hazard to Waters	
MAM	EU - GHS (H-Statements)	H304 - May be fatal if swallowed and enters airways [Aspiration hazard - Category 1]	
AQU	EU - GHS (H-Statements)	H411 - Toxic to aquatic life with long lasting effects [Hazardous to the aquatic environment (chronic) - Category 2]	
PHY	EU - GHS (H-Statements)	H224 - Extremely flammable liquid and vapour [Flammable liquids - Category 1]	

SUBSTANCE NOTES: Percent weight interval is used to cover product variability and exact composition confidential.

CYCLOPENTANE

ID: 287-92-3

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2021-09-21 20:32:55		
#: 0.0000 - 5.0000	GS: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Blowing agent
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
PHY	EU - GHS (H-Statements)	H225 - Highly flammable liquid and vapour [Flammable liquids - Category 2]		
SUBSTANCE NOTES: Percent weight interval is used to cover product variability and keep exact material composition confidential.				

GALVANNEALED STEEL (REINFORCEMENTS) #: **1.1100**

PRODUCT THRESHOLD: 1000 ppm	RESIDUALS AND IMPURITIES CONSIDERED: Yes	MATERIAL TYPE: Metal
RESIDUALS AND IMPURITIES NOTES: According to the manufacturer, Lead and Cadmium are present in trace amount, generally inferior to 1 ppm in steel products. These impurities are coming from the sourced iron ore. The surface is passivated (dry). Surface treatment is less than 0.5% of the part weight; hence below the declaration threshold.		
OTHER MATERIAL NOTES: Lock and hinges reinforcement are made of galvaneal steel.		

IRON (IRON) ID: **7439-89-6**

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2021-09-23 12:34:28		
#: 87.8000 - 100.0000	GS: LT-P1	RC: Both	NANO: No	SUBSTANCE ROLE: Structure component
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
END	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor		
SUBSTANCE NOTES: See Other Material Notes. Steel may contain 14-22% pre consumer recycled content and 19-34% post consumer recycled content. Percent weight interval is used to cover product variability.				

NICKEL (NICKEL) ID: **7440-02-0**

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2021-09-23 12:34:34		
#: 0.0000 - 0.2000	GS: LT-1	RC: None	NANO: No	SUBSTANCE ROLE: Alloy element

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
CAN	US CDC - Occupational Carcinogens	Occupational Carcinogen
CAN	MAK	Carcinogen Group 1 - Substances that cause cancer in man
CAN	IARC	Group 1 - Agent is Carcinogenic to humans
CAN	CA EPA - Prop 65	Carcinogen
CAN	US NIH - Report on Carcinogens	Known to be a human Carcinogen
CAN	IARC	Group 2b - Possibly carcinogenic to humans
RES	AOEC - Asthmagens	Asthmagen (Rs) - sensitizer-induced
CAN	US NIH - Report on Carcinogens	Reasonably Anticipated to be Human Carcinogen
RES	MAK	Sensitizing Substance Sah - Danger of airway & skin sensitization
MUL	German FEA - Substances Hazardous to Waters	Class 2 - Hazard to Waters
SKI	EU - GHS (H-Statements)	H317 - May cause an allergic skin reaction [Skin sensitization - Category 1]
CAN	EU - GHS (H-Statements)	H351 - Suspected of causing cancer [Carcinogenicity - Category 2]
MAM	EU - GHS (H-Statements)	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organ toxicity - repeated exposure - Category 1]

SUBSTANCE NOTES: Percent weight interval is used to cover product variability.

CHROMIUM (CHROMIUM)

ID: 7440-47-3

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2021-09-23 12:34:34		
#: 0.0000 - 0.6000	GS: LT-P1	RC: None	NANO: No	SUBSTANCE ROLE: Alloy element
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
END	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor		
SKI	MAK	Sensitizing Substance Sh - Danger of skin sensitization		
RES	AOEC - Asthmagens	Asthmagen (Rs) - sensitizer-induced		

SUBSTANCE NOTES: Percent weight interval is used to cover product variability.

MANGANESE (MANGANESE)

ID: 7439-96-5

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2021-09-23 12:34:33		
#: 0.0000 - 2.1000	GS: LT-P1	RC: None	NANO: No	SUBSTANCE ROLE: Alloy element

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
END	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
MUL	German FEA - Substances Hazardous to Waters	Class 2 - Hazard to Waters
REP	GHS - Japan	H360 - May damage fertility or the unborn child [Toxic to reproduction - Category 1B]

SUBSTANCE NOTES: Percent weight interval is used to cover product variability.

ZINC (ZINC)

ID: 7440-66-6

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
END	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
MUL	German FEA - Substances Hazardous to Waters	Class 2 - Hazard to Waters
AQU	EU - GHS (H-Statements)	H400 - Very toxic to aquatic life [Hazardous to the aquatic environment (acute) - Category 1]
AQU	EU - GHS (H-Statements)	H410 - Very toxic to aquatic life with long lasting effects [Hazardous to the aquatic environment (chronic) - Category 1]
PHY	EU - GHS (H-Statements)	H250 - Catches fire spontaneously if exposed to air [Pyrophoric liquids; Pyrophoric solids - Category 1]
PHY	EU - GHS (H-Statements)	H260 - In contact with water releases flammable gases which may ignite spontaneously [Substances and mixtures which, in contact with water, emit flammable gases - Category 1]

SUBSTANCE NOTES: See Other Material Notes. According to the manufacturer, zinc coating weight can be up to 10w% of total steel weight. Since we do not have specific data, we are using the full range of 0% to 10%. Percent weight interval is used to cover product variability.

ADHESIVE

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2021-09-23 12:34:35**
 %: **0.0000 - 8.8000** GS: **LT-P1** RC: **None** NANO: **No** SUBSTANCE ROLE: **Galvanizing**
 %: **0.4900**

PRODUCT THRESHOLD: 1000 ppm RESIDUALS AND IMPURITIES CONSIDERED: Yes MATERIAL TYPE: Polymeric Material

RESIDUALS AND IMPURITIES NOTES: No data was given by the manufacturer since the manufacturer does not test its products for residuals or impurities.

OTHER MATERIAL NOTES: The amount of adhesive varies among the rated insulated steel door. Names and CAS numbers of substances were not disclosed and ranges given to protect proprietary information.

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2021-09-23 12:34:29**

#: **70.0000 - 90.0000** GS: **LT-UNK** RC: **None** NANO: **No** SUBSTANCE ROLE: **Monomer**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: This substance is undisclosed as it is proprietary. Percent weight interval is used to cover product variability and keep exact material composition confidential.

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2021-09-23 12:34:31**

#: **10.0000 - 30.0000** GS: **LT-UNK** RC: **None** NANO: **No** SUBSTANCE ROLE: **Monomer**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
MUL	US EPA - PPT Chemical Action Plans	EPA Chemical of Concern - Action Plan published
RES	AOEC - Asthmagens	Asthmagen (G) - generally accepted
CAN	MAK	Carcinogen Group 4 - Non-genotoxic carcinogen with low risk under MAK/BAT levels
RES	MAK	Sensitizing Substance Sah - Danger of airway & skin sensitization
RES	US EPA - PPT Chemical Action Plans	Inhalation sensitizer causing asthma and lung damage
SKI	EU - GHS (H-Statements)	H317 - May cause an allergic skin reaction [Skin sensitization - Category 1]
SKI	EU - GHS (H-Statements)	H315 - Causes skin irritation [Skin corrosion/irritation - Category 2]
CAN	EU - GHS (H-Statements)	H351 - Suspected of causing cancer [Carcinogenicity - Category 2]
EYE	EU - GHS (H-Statements)	H319 - Causes serious eye irritation [Serious eye damage/eye irritation - Category 2A]
RES	EU - GHS (H-Statements)	H334 - May cause allergy or asthma symptoms or breathing difficulties if inhaled [Respiratory sensitization - Category 1]

SUBSTANCE NOTES: This substance is undisclosed as it is proprietary. Percent weight interval is used to cover product variability and keep exact material composition confidential.

PAINT

#: **0.0100**

PRODUCT THRESHOLD: **1000 ppm** RESIDUALS AND IMPURITIES CONSIDERED: **No** MATERIAL TYPE: **Polymeric Material**

RESIDUALS AND IMPURITIES NOTES: Residuals or impurities not identified by manufacturer.

OTHER MATERIAL NOTES: Water-based acrylic paint for metal products. Only ingredients presented in the SDS are disclosed in the HPD given that the amount of paint is below the disclosure threshold (1,000 ppm).

TITANIUM DIOXIDE (TITANIUM DIOXIDE)

ID: 13463-67-7

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2021-09-23 12:34:32**

#: **1.0000 - 10.0000** GS: **LT-1** RC: **None** NANO: **No** SUBSTANCE ROLE: **Pigment**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
CAN	US CDC - Occupational Carcinogens	Occupational Carcinogen
CAN	CA EPA - Prop 65	Carcinogen - specific to chemical form or exposure route
CAN	IARC	Group 2B - Possibly carcinogenic to humans - inhaled from occupational sources
CAN	MAK	Carcinogen Group 3A - Evidence of carcinogenic effects but not sufficient to establish MAK/BAT value
END	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
CAN	MAK	Carcinogen Group 4 - Non-genotoxic carcinogen with low risk under MAK/BAT levels
CAN	EU - GHS (H-Statements)	H351 - Suspected of causing cancer [Carcinogenicity - Category 2]

SUBSTANCE NOTES: Percent weight interval is used to cover product variability and keep exact material composition confidential.

BUTOXYPROPANOL (BUTOXYPROPANOL)

ID: 5131-66-8

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2021-09-23 12:34:33**

#: **1.0000 - 5.0000** GS: **LT-UNK** RC: **None** NANO: **No** SUBSTANCE ROLE: **Solvent**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
SKI	EU - GHS (H-Statements)	H315 - Causes skin irritation [Skin corrosion/irritation - Category 2]
EYE	EU - GHS (H-Statements)	H319 - Causes serious eye irritation [Serious eye damage/eye irritation - Category 2A]

SUBSTANCE NOTES: Percent weight interval is used to cover product variability and keep exact material composition confidential.

Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS

CDPH Standard Method V1.2 (Section 01350/CHPS) - Classroom & Office scenario

CERTIFYING PARTY: Third Party

ISSUE DATE: 2018-03-

EXPIRY DATE:

CERTIFIER OR LAB: Berkeley

APPLICABLE FACILITIES: All.

15

analytical

CERTIFICATE URL:

CERTIFICATION AND COMPLIANCE NOTES: Certificate No: 180315-05

Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

No accessories are required for this product.

Section 5: General Notes

MANUFACTURER INFORMATION

MANUFACTURER: MÉTALEC
ADDRESS: 2150, rue Léon-Hamel
Quebec City Quebec G1N 4L2, Canada
WEBSITE: www.metalec.com

CONTACT NAME: Claude Harton
TITLE: General Manager
PHONE: 1-877-683-2431
EMAIL: charton@metalec.com

The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.

KEY

Hazard Types

AQU Aquatic toxicity	LAN Land toxicity	PHY Physical hazard (flammable or reactive)
CAN Cancer	MAM Mammalian/systemic/organ toxicity	REP Reproductive
DEV Developmental toxicity	MUL Multiple	RES Respiratory sensitization
END Endocrine activity	NEU Neurotoxicity	SKI Skin sensitization/irritation/corrosivity
EYE Eye irritation/corrosivity	NF Not found on Priority Hazard Lists	UNK Unknown
GEN Gene mutation	OZO Ozone depletion	
GLO Global warming	PBT Persistent, bioaccumulative, and toxic	

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)	LT-1 List Translator 1 (Likely Benchmark-1)
BM-3 Benchmark 3 (use but still opportunity for improvement)	LT-UNK List Translator Benchmark Unknown (the chemical is present on at least one GreenScreen Specified List, but the information contained within the list did not result in a clear mapping to a LT-1 or LTP1 score.)
BM-2 Benchmark 2 (use but search for safer substitutes)	NoGS No GreenScreen.
BM-1 Benchmark 1 (avoid - chemical of high concern)	
BM-U Benchmark Unspecified (due to insufficient data)	
LT-P1 List Translator Possible 1 (Possible Benchmark-1)	

Recycled Types

PreC Pre-consumer recycled content
PostC Post-consumer recycled content
UNK Inclusion of recycled content is unknown
None Does not include recycled content

Other Terms:

GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Inventory Methods:

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material
Nested Method / Product Threshold Substances listed within each material per threshold indicated per product
Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology
Third Party Verified Verification by independent certifier approved by HPDC
Preparer Third party preparer, if not self-prepared by manufacturer
Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- *a method for the assessment of exposure or risk associated with product handling or use,*
- *a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.*

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.